



1 of 7 Page:

Infosafe No™ LPTDL Issue Date : August 2012 ISSUED by PARCHEMC

FOSROC PRIMER 13 PART A BASE Product Name

Classified as hazardous

1. Identification

GHS Product

FOSROC PRIMER 13 PART A BASE

Identifier

Telephone/Fax

Company Name

Parchem Construction Supplies Pty Ltd (ABN 80 069 961 968)

Address 7 Lucca Road Wyong

NSW 2259 Australia Tel: 02 4350 5000

Fax: 02 4351 2024 Number

1800 638 556 (available 24/7) **Emergency phone**

number

Recommended use of the chemical and restrictions on use

Other Information

Base component for two part epoxy primer.

This MSDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Parchem Construction Supplies Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the

workplace. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company. Our responsibility for product as sold is subject to our standard terms and

conditions, a copy of which is sent to our customers and is also available

upon request.

www.parchem.com.au

2. Hazard Identification

GHS classification of

the

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and

Safety regulations, Australia. substance/mixture

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Flammable Liquids: Category 2

Skin Corrosion/Irritation: Category 2 Eye Damage/Irritation: Category 2A Sensitization - Skin: Category 1

STOT Single Exposure Category 3 (narcotic)

Hazardous to the Aquatic Environment - Long-Term Hazard: Category 2

Signal Word (s) Danger

Hazard Statement (s)

H225 Highly flammable liquid and vapour. H317 May cause an allergic skin reaction.

Causes skin irritation. H315

Causes serious eye irritation. H319 H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

General

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. Precautionary

Statement (s)

P103 Read label before use.

Pictogram (s)

Flame, Exclamation mark, Environment



P240





Precautionary

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

statement -

P233 Keep container tightly closed.

Prevention

Ground/bond container and receiving equipment.





Page: 2 of 7

Infosafe No™ LPTDL	Issue Date : August 2012	ISSUED by PARCHEMC
--------------------	--------------------------	--------------------

Product Name FOSROC PRIMER 13 PART A BASE

Classified as hazardous

	Classified as nazardous
Precautionary statement – Response	P241 Use explosion-proof electrical/ventilating/lighting/equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. GENERAL: P370+P378: In case of fire: Use foam, carbon dioxide or dry chemical powder to extinguish. P391: Collect spillage. SKIN: P302+P352: IF ON SKIN: Wash with plenty of water. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P362+P364: Take off contaminated clothing and wash it before reuse. P333+P313: If skin irritation or rash occurs: Get medical advice/attention. EYES:

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to remove. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention.

INHALATION:

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P403+P233 Store in a well-ventilated place. Keep container tightly closed. Precautionary P403+P235 Store in a well-ventilated place. Keep cool.

statement - Storage

P405 Store locked up.

Precautionary statement - Disposal P501 Dispose of contents/container to an approved waste disposal plant.

3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion
	Bisphenol A- (epichlorohydrin), epoxy resin, reaction product	25068-38-6	60-90 %
	Methyl Ethyl Ketone	78-93-3	30-60 %

4. First-aid measures

Inhalation	If inhaled, remove affected person from contaminated area. Apply artificial respiration if not breathing. Seek medical attention.			
Ingestion	Do not induce vomiting. Wash out mouth thoroughly with water. If symptoms develop seek medical attention.			
Skin	Wash affected area thoroughly with soap and water. Remove contaminated clothing and wash before reuse or discard. Seek medical attention.			
Eye contact	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Continue flushing for several minutes until all contaminants are washed out completely. Seek medical attention.			
First Aid Facilities	Eye wash, safety shower and normal washroom facilities.			
Advice to Doctor	Treat symptomatically.			
Other Information	For advice, contact a Poisons Information Centre (Phone eg Australia 131 126; New Zealand 0800 764 766) or a doctor (at once).			

5. Fire-fighting measures

Use carbon dioxide, dry chemical, foam or water mist.

extinguishing media

DO NOT USE water jets. Unsuitable

Extinguishing Media





Page: 3 of 7

Infosafe No™ LPTDL Issue Date : August 2012 ISSUED by PARCHEMC

Product Name FOSROC PRIMER 13 PART A BASE

Classified as hazardous

Hazards from Combustion Products Under fire conditions this product may emit toxic and/or irritating fumes

including carbon monoxide and carbon dioxide.

Specific hazards arising from the chemical

Highly flammable liquid and vapour. Vapour/air mixtures may ignite

explosively. Flashback along the vapour trail may occur. Runoff to sewer may

create fire or explosion hazard.

Hazchem Code • 3YE

Precautions in connection with Fire

Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to

vapours or fumes. Water spray may be used to cool down heat-exposed $% \left(1\right) =\left(1\right) \left(1\right) +\left(1\right) \left(1\right) \left(1\right) +\left(1\right) \left(1$

containers. Fight fire from safe location. This product should be prevented

from entering drains and watercourses.

6. Accidental release measures

Emergency Procedures

Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

7. Handling and storage

Precautions for Safe Handling

Avoid contact with skin and eyes. Wear overalls, impervious gloves and safety glasses. Use in designated areas with adequate ventilation. Use approved flammable liquid storage containers in the work area. Prevent release of vapours and mists into workplace air. Keep containers closed when not in use. Take precautionary measures against static discharges. Keep material away from sparks, flames and other ignition sources. Do not empty into drains. Ensure a high level of personal hygiene is maintained when using this product, that is, always wash hands before eating, drinking, smoking or using the toilet facilities.

Conditions for safe storage, including any incompatabilities

Store in a cool, dry, well-ventilated area away from sources of ignition, oxidising agents, strong acids, foodstuffs, and clothing. Keep containers closed when not in use and securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. For information on the design of the storeroom, reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids. Reference should also be made to all applicable local and national regulations.

8. Exposure controls/personal protection

Occupational exposure limit values

No exposure value assigned for this specific material by the Safe Work, Australia. However, the available exposure limits for ingredients are listed

Safe Work, Australia Exposure Standards:

Substance TWA STEL NOTICES

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

STEL (Short Term Exposure Limit): The average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.

Biological Limit Values No biological limit allocated.

Giological Limit No blological limit a





Page: 4 of 7

Infosafe No^{TM} LPTDL Issue Date : August 2012 ISSUED by PARCHEMC

Product Name FOSROC PRIMER 13 PART A BASE

Classified as hazardous

Appropriate engineering controls

Provide sufficient ventilation to keep airborne levels below the exposure limits. Where vapours or mists are generated, particularly in enclosed areas, and natural ventilation is inadequate, a flameproof exhaust ventilation system is required. Refer to AS 1940 - The storage and handling of flammable and combustible liquids and AS/NZS 60079.10.1:2009 Explosive atmospheres - Classification of areas - Explosive gas atmospheres, for further information

concerning ventilation requirements.

Respiratory Protection

Hand Protection

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable organic vapour filter should be used. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary

changes for individual circumstances.

Eye Protection Safety glasses with side shields or chemical goggles should be worn. Final

choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications. Wear gloves of impervious material, such as PVC and rubber gloves. Final

choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken.

Reference should be made to AS/NZS 2161.1: Occupational protective gloves -

Selection, use and maintenance.

Body Protection Suitable protective work wear, e.g. cotton overalls buttoned at neck and wrist

is recommended. Chemical resistant apron is recommended where large quantities

are handled.

9. Physical and chemical properties

Appearance Viscous straw coloured liquid

Odour Not available
Melting Point Not available
Boiling Point Not available
Solubility in Water Partially soluble
Specific Gravity Not available

 $\begin{array}{lll} \textbf{pH} & & \text{Not available} \\ \textbf{Vapour Pressure} & & \text{Not available} \\ \textbf{Vapour Density} & & \text{Not available} \\ \end{array}$

(Air=1)

Evaporation Rate

Odour Threshold

Viscosity

Not available

Not available

Volatile Component 31%

Partition Coefficient: Not available

n-octanol/water

Flash Point - 4°C (Methyl ethyl ketone)

Flammability Highly flammable

Auto-Ignition Not available

Temperature

Flammable Limits - 1.8% v/v (Methyl ethyl ketone)

Lower

Flammable Limits - 11.5% v/v (Methyl ethyl ketone)

Upper

10. Stability and reactivity

Reactivity Reacts with incompatibles

Chemical Stability Stable under normal conditions of storage and handling.





Page: 5 of 7

Infosafe No^{TM} LPTDL Issue Date : August 2012 ISSUED by PARCHEMC

Product Name FOSROC PRIMER 13 PART A BASE

Classified as hazardous

Conditions to Avoid Heat, flames and other ignition sources.

Incompatible Strong oxidising agents.

Materials

Hazardous Thermal decomposition may result in the release of toxic and/or irritating

Decomposition fumes including carbon monoxide and carbon dioxide.

Products

Hazardous Will not occur.

Polymerization

11. Toxicological Information

Toxicology No toxicity data are available for this specific product. The available data

Information for the ingredients are as follows:

For Methyl ethyl ketone: LD50 (Oral, Rat): 2,737 mg/kg LC50 (Inhalation, Rat): 23.5 g/L/8h LD50 (Dermal, Rabbit): 6,480 mg/kg

Ingestion May cause irritation to the mouth, throat, esophagus and stomach with symptoms

of nausea and vomiting.

Inhalation Inhalation of product vapours may cause irritation of the nose, throat and

respiratory system. May cause drowsiness or dizziness.

Skin Irritating to skin. Skin contact will cause redness, itching and swelling.

Repeated exposure may cause skin dryness and cracking and may lead to

dermatitis. May cause an allergic skin reaction.

Eye Irritating to eyes. On eye contact this product will cause tearing, stinging,

blurred vision, and redness.

Respiratory Not expected to be a respiratory sensitiser.

sensitisation

 ${\bf Skin \ Sensitisation} \qquad \qquad {\tt May \ cause \ an \ allergic \ skin \ reaction.}$

Germ cell Not considered to be a mutagenic hazard.

mutagenicity

Carcinogenicity Not considered to be a carcinogenic hazard.

Reproductive Not considered to be toxic to reproduction.

Toxicity

STOT-single May cause drowsiness or dizziness.

exposure

STOT-repeated Ingestion of large quantities may depress the central nervous system.

exposure

 $\textbf{Aspiration Hazard} \qquad \quad \text{Not expected to be an aspiration hazard.}$

12. Ecological information

 $\begin{tabular}{ll} \textbf{Ecotoxicity} & \textbf{Toxic to aquatic life with long lasting effects.} \end{tabular}$

Persistence and

Not available

degradability

Mobility Not available
Bioaccumulative Not available

Potential

Environmental Do not discharge this material into waterways, drains and sewers.

Protection

13. Disposal considerations

Disposal Disposal of spilled or waste material must be carried out in accordance with Considerations the relevant local and national government regulations. Advise flammable

nature. Empty containers may contain flammable residues. Do not puncture, cut

or weld empty containers.

14. Transport information

Transport Road and Rail Transport:

Information This material is a Class 3 - Flammable Liquid according to The Australian Code

for the Transport of Dangerous Goods by Road and Rail. (7th edition)





6 of 7 Page:

Infosafe No™ LPTDL Issue Date : August 2012 ISSUED by PARCHEMC

FOSROC PRIMER 13 PART A BASE Product Name

Classified as hazardous

Class 3 - Flammable Liquids are incompatible in a placard load with any of the following:

- Class 1, Explosives
- Division 2.1, Flammable Gases, (Division 2.1 and Class 3 are incompatible in transport if both are in tanks or other receptacles with a capacity individually exceeding 500 L.)
- Division 2.3, Toxic Gases
- Division 4.2 Spontaneously Combustible Substances
- Division 5.1 Oxidising Agents and Division 5.2, Organic Peroxides
- Class 6 Toxic or Infectious Substances (where the flammable liquid is nitromethane)
- Class 7 Radioactive Substances.

Marine Transport (IMO/IMDG):

Classified as Dangerous Goods by the criteria of the International Maritime

Dangerous Goods Code (IMDG Code) for transport by sea.

UN No.: 1993

Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. (Contains Methyl ethyl ketone)

Class: 3

Packaging Group: II EMS No.: F-E, S-E Special Provision: 274

Air Transport (ICAO/IATA):

Classified as Dangerous Goods by the criteria of the International Air

Transport Association (IATA) Dangerous Goods Regulations for transport by air.

UN No.: 1993

Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. (Contains Methyl ethyl ketone)

Class: 3

Packaging Group: II

Packaging Instructions (passenger & cargo): 353

Packaging Instructions (cargo only): 364

Special Provision: A3 1993

U.N. Number

UN proper shipping

FLAMMABLE LIQUID, N.O.S. - (Contains Methyl ethyl ketone)

name

Transport hazard class(es)

Hazchem Code

• 3YE **Packing Group** ΙI **EPG Number** 3A1 IERG Number 14

IMDG Marine Yes

pollutant

3

15. Regulatory information

Regulatory Information Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and

Safety regulations, Australia

Classified as a Scheduled Poison according to the Standard for the Uniform

Scheduling of Medicines and Poisons (SUSMP).

Poisons Schedule

AICS (Australia)

All components of this product are listed on the Australian Inventory of

Chemical Substances (AICS) or exempted.

16. Other Information

Date of preparation or last revision of

SDS Reviewed: September 2012, Supersedes: July 2009

SDS

Technical Support: 1800 812 864 Contact Person/Point





Page: 7 of 7

Infosafe No™ LPTDL Issue Date : August 2012 ISSUED by PARCHEMC

Product Name FOSROC PRIMER 13 PART A BASE

Classified as hazardous

...End Of MSDS...

© Copyright ACOHS Pty Ltd

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.